(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 8 November 2001 (08.11.2001)

PCT

(10) International Publication Number WO 01/83326 A1

(51) International Patent Classification⁷: B 81/20

B65D 85/10,

(21) International Application Number: PCT/CZ01/00024

(22) International Filing Date: 26 April 2001 (26.04.2001)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: PV 2000-1544

27 April 2000 (27.04.2000) C

(71) Applicant and

(72) Inventor: ŠRÁMEK, Milan [CZ/CZ]; Prštné 65, 760 01 Zlín (CZ).

(74) Agent: HALAXOVA, Zdenka; Univerzitni 7, 772 00 Olomouc (CZ). (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.


(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

[Continued on next page]

(54) Title: THE PACKAGE FOR TOBACCO PRODUCTS AND THE PROCESS OF THE PACKING



(57) Abstract: The package for tobacco products (1), primarily cigarettes and cigars, formed by a hermetically sealed case forming a pocket for at least one product. The invention is that the inner atmosphere (3) of the package is rarefied and/or contains the addition of inert gas. The way of packing of tobacco products into a hermetically sealed case forming a pocket is essential due to the fact that the case is sealed in the vacuum atmosphere and/or the protective atmosphere with the addition of inert gas.

/83326

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

THE PACKAGE FOR TOBACCO PRODUCTS AND THE PROCESS OF THE PACKING

5 .

Technical field of the invention

The invention relates to the package for tobacco products, primarily cigarettes and cigars as piece goods or in a small number of pieces.

The invention relates also process of the packing of the tobacco products.

15 The prior art

20

25

30

At the present time tobacco products such as cigarettes and cigars are packed in boxes or packets with a greater number of pieces, usually by 20 pieces when speaking about cigarettes. This packing, however, is unsatisfactory both from a practical and a hygienic viewpoint. The reason is that in the started on packet of cigarettes they move freely which results in shaking out tobacco, spilling the cigarettes, contact with the surrounding atmosphere etc.

Well-known is also packing of the so-called piece cigarettes into blister packages. In case of damaging such a package, even if the damage is visually imperceptible, the package no longer fulfils a function of a hygienic packing. Visual control cannot reveal minor damages. Another disadvantage is the possibility of generating of undesirable gas when sealing is carried out, due to thermal breaking through the cover foil to the base, and penetration of the gas into the inner area of the package. The aim of this invention is to develop a package for tobacco-products which would

enable packing of one piece or a smaller number of pieces and, moreover, would meet all hygienic and practical requirements.

The aim of the invention

All the above requirements are entirely met by the package according to the invention for tobacco products, primarily cigarettes and cigars, which is formed by a hermetically sealed case forming a pocket for at least one product; the inner atmosphere in the package is rarefied and/or contains the addition of inert gas.

The advantage of the package according to the invention is a creation of the inner atmosphere which supports durability of the product and ensures its required properties. Due to the effect of underpressure and a stuck foil the product cannot move in the package, the occurrence of mildew and microorganisms is eliminated, humidity can be controlled etc. Packing into the package according to the invention meets the strictest hygienic requirements, products packed as single pieces can be sold and stored for a longer period without affecting the product quality.

From a practical and a manufacturing viewpoint it is very useful if the package is formed by the longitudinal fold of a yielding foil hermetically sealed from three sides, or by two strips of a yielding foil circumferentially hermetically sealed, or by a tube-shaped case from a yielding foil hermetically sealed on both ends.

So as to achieve a higher-strength, the package should consist of a solid base layer and a cover layer from a yielding foil; then the cover layer is circumferentially hermetically sealed with the base layer.

25

20

5

The design of the package enables visual control of the product because foils in various transparent colours can be used. In case of damaging the foil there occurs penetration of the surrounding air and so each even a minor damage becomes immediately perceptible because the package is not stuck to the product.

The invention is also the way of packing of tobacco products into the hermetically sealed case for at least one product. The fundamentals of this invention lie in the fact that the said case is hermetically sealed on both ends in the vacuum atmosphere and/or the protective atmosphere with the addition of inert gas.

5

A higher effect of the way of packing is a formation of the package according to the invention with the above advantages.

10 Overview of the Figs on the drawings

The package for tobacco products according to the invention will be described more fully in the following examples with the use of drawings where Fig. 1 represents a view and a sectional view of the package for one piece of the product formed by the longitudinal fold of the foil, Fig. 2 represents the package formed by two strips of the foil and Fig. 3 represents the package formed by the tube-shaped case. Fig. 5 represents the package for one piece of the product formed by the solid base layer and the cover layer and Fig. 4 represents the package for more pieces of the product.

20

15

Examples of embodiment of the invention

Example 1:

An airtight yielding foil <u>2</u> in the shape of a rectangle with printing is lengthways folded along the longitudinal axis of the product <u>1</u>. The fold <u>21</u> is circumferentially hermetically sealed from three sides and the inner atmosphere <u>3</u> is formed by the rarefied air.

Example 2:

** ** ************

5

Two airtight yielding foils $\underline{1}$ in the shape of a rectangle, one of these foils is transparent, are circumferentially hermetically sealed round one piece of the product $\underline{1}$. The inner atmosphere $\underline{3}$ is formed by the rarefied air with the addition of inert gas. On one of the shorter sides of the sealed strips $\underline{22}$ of the foil $\underline{2}$ there is a cut $\underline{4}$ ensuring

Example 3:

easy opening.

The package is formed by the airtight yielding foil 2 in the shape of the tube-shaped case 23 hermetically sealed on both ends. The inner atmosphere 3 is formed by the rarefied air with the predominance of inert gas.

Example 4:

The package is formed by the solid base layer <u>24</u> and the cover layer <u>25</u> from the yielding foil <u>2</u>. The cover layer <u>25</u> is circumferentially hermetically sealed with the base layer <u>24</u>. The inner atmosphere <u>3</u> is rarefied and generates underpressure towards the environment.

Example 5:

30

Two airtight yielding foils 2 of bigger dimensions than are those in the previous examples in the shape of a rectangle are circumferentially hermetically sealed round a few pieces of the products 1 which are not touching. The inner atmosphere 3 is formed by the rarefied air with the addition of inert gas. On one of the shorter sides of the sealed strips 22 of the foil 2 there is a cut 4 ensuring easy opening. Instead of one of the foils 2 the solid base layer 24 can be used.

Packing of tobacco products $\underline{1}$ into the package according to the invention is carried out in the protective rarefied atmosphere, i.e. in the vacuum atmosphere, eventually with the addition of inert gas. The product $\underline{1}$ or several products $\underline{1}$ are placed in the airtight foil $\underline{2}$ that is then circumferentially hermetically sealed. Inside


the case in the inner atmosphere $\underline{3}$ there is generated underpressure which cause's sticking of the foil $\underline{2}$ to the product $\underline{1}$ or products $\underline{1}$.

Industrial applicability

The package for tobacco products according to the invention can be industrially manufactured and used in the trade network, restaurants, hotels and primarily when tobacco products are sold through vending machines.

PATENT CLAIMS

- The package for tobacco products, primarily cigarettes and cigars, formed by a
 hermetically sealed case forming a pocket for at least one product, characterised in that the inner atmosphere in the package is rarefied and/or contains the addition of inert gas.
- 2. The package according to the claim 1, characterised in that it is formed by the longitudinal fold (21) of a yielding foil (2) hermetically sealed from three sides.
 - 3. The package according to the claim 1, *characterised in that* it is formed by two strips (22) of a yielding foil (2) circumferentially hermetically sealed.
- 15 4. The package according to the claim 1, characterised in that it is formed by a tube-shaped case (23) from a yielding foil (2) hermetically sealed on both ends.
- 5. The package according to the claim 1, characterised in that it is formed by a solid base layer (24) and a cover layer (25) from a yielding foil (2); the cover layer
 (25) is circumferentially hermetically sealed with the base layer (24).
 - 6. The way of packing tobacco products into a hermetically sealed case forming a pocket for at least one product, *characterised in that* the case is sealed in the vacuum atmosphere and/or the protective atmosphere with the addition of inert gas.






Fig. 4




Fig. 5

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 B65D85/10 B65D81/20

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 B65D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 98 28993 A (GOLDMAN) 9 July 1998 (1998-07-09) the whole document	1,3,6
X	EP 0 751 069 A (SASIB) 2 January 1997 (1997-01-02) abstract; figures	1,6
X	WO 96 14763 A (BROWN) 23 May 1996 (1996-05-23) the whole document	1,6
Х	US 1 458 585 A (MCCROSSON) 12 June 1923 (1923-06-12) the whole document	1,6
	-/	

χ Patent family members are listed in annex.
 T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. *&* document member of the same patent family
Date of mailing of the international search report 06/09/2001
Authorized officer Gino, C

		PC1/CZ 01/00024
	citation) DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Category °	ondion of document, with indication, where appropriate, of the relevant passages	Helevalit (U Cjaliii NQ)
X ·	WO 98 49072 A (ROTHMANS, BENSON & HEDGES) 5 November 1998 (1998-11-05) the whole document	1,2,6
A	GB 411 663 A (ROGERS) 14 June 1934 (1934-06-14) the whole document	5
Α .	GB 358 808 A (UNIVERSELLE CIGARETTEN-MASCHINEN-FABRIK) 15 October 1931 (1931-10-15) figures	4
A	GB 1 139 036 A (DOW CHEMICAL CO.) 8 January 1969 (1969-01-08) the whole document	3
A	US 1 830 571 A (SÜLLWALD) 3 November 1931 (1931–11–03)	
		V

٢	υ	1/	ľ	L	U	1	/ 1	U	Ū	U	4	4

	· · · · · · · · · · · · · · · · · · ·		101702	31/ 00024
Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9828993	Α	09-07-1998	AU 6245298 A	31-07-1998
EP 751069	A	02-01-1997	IT GE950073 A US 5729957 A	30-12-1996 24-03-1998
WO 9614763	Α	23-05-1996	NONE	
US 1458585	Α	12-06-1923	NONE	
WO 9849072	Α	05-11-1998	CA 2203597 A AU 6915998 A EP 0914283 A JP 2000513686 T NO 986084 A ZA 9803207 A	24-10-1998 24-11-1998 12-05-1999 17-10-2000 17-02-1999 22-10-1998
GB 411663	A	14-06-1934	NONE	
GB 358808	Α	15-10-1931	NONE	
GB 1139036	Α	08-01-1969	BE 684961 A NL 6610844 A	02-02-1967 03-02-1967
US 1830571	A	03-11-1931	DE 471253 C DE 508367 C FR 671870 A NL 28259 C	21-12-1929